

Barrier Terminal Block

Material

Terminal: Brass, Tin plated


Housing: Nylon 66, UL94V-0

Electrical

Temp.Range: -40°C +105°C

Insulation resistance: 500 or 1000MΩ/DC500V

Withstanding voltage: AC 2000V/1 Min













AMTEK Technology Co., Ltd






B arrier Terminal Block








AMTEK COMMERCIAL MACHINERY

Part No.	5TB762S-25CN	5TB762S-25SN	5TB762S-25HN	5TB762R-25RN	5TB762S-25CE
Product	 UL [®] US CQC	 UL [®] US CQC	 UL [®] US CQC	 UL [®] US CQC	 UL [®] US CQC
Pitch	7.62mm	7.62mm	7.62mm	7.62mm	7.62mm
Rated	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
Poles	2P-26P	2P-26P	2P-26P	2P-26P	2P-26P
Wire	22-14AWG 2.5mm ²	22-14AWG 2.5mm ²	22-14AWG 2.5mm ²	22-14AWG 2.5mm ²	22-14AWG 2.5mm ²

Part No.	5TB762S-25SE	5TB762S-25HE	5TB762R-25RE	5TB825S-35CN	5TB825S-35SN
Product	 UL [®] US CQC	 UL [®] US CQC	 UL [®] US CQC	 UL [®] US CQC	 UL [®] US CQC
Pitch	7.62mm	7.62mm	7.62mm	8.25mm	8.25mm
Rated	300V/15A	300V/15A	300V/15A	300V/20A	300V/20A
Poles	2P-26P	2P-26P	2P-24P	2P-24P	2P-24P
Wire	22-14AWG 2.5mm ²	22-14AWG 2.5mm ²	22-14AWG 2.5mm ²	22-12AWG 2.5mm ²	22-12AWG 2.5mm ²

Part No.	5TB825S-35HN	5TB825R-35RN	5TB825S-35CE	5TB825S-35SE	5TB825S-35HE
Product	 UL [®] US CQC	 UL [®] US CQC	 UL [®] US CQC	 UL [®] US CQC	 UL [®] US CQC
Pitch	8.25mm	8.25mm	8.25mm	8.25mm	8.25mm
Rated	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
Poles	2P-24P	2P-24P	2P-22P	2P-22P	2P-22P
Wire	22-12AWG 2.5mm ²	22-12AWG 2.5mm ²	22-12AWG 2.5mm ²	22-12AWG 2.5mm ²	22-12AWG 2.5mm ²

Part No.	5TB825R-35RE	5TB950S-45CN	5TB950S-45SN	5TB950S-45HN	5TB950R-45RN
Product	 UL [®] US CQC	 UL [®] US CQC	 UL [®] US CQC	 UL [®] US CQC	 UL [®] US CQC
Pitch	8.25mm	9.5mm	9.5mm	9.5mm	9.5mm
Rated	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
Poles	2P-22P	2P-24P	2P-24P	2P-24P	2P-24P
Wire	22-12AWG 2.5mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²

CONNECTORS MANUFACTURER



Barrier Terminal Block

Part No.	5TB950S-45CE	5TB950S-45SE	5TB950S-45HE	5TB950R-45RE	5TB100S-55CN
Product	 UL US CQC	 UL US CQC	 UL US CQC	 UL US CQC	 UL US CQC
Pitch	9.5mm	9.5mm	9.5mm	9.5mm	10.0mm
Rated	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
Poles	2P-22P	2P-22P	2P-22P	2P-22P	2P-24P
Wire	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²

Part No.	5TB100S-55HN	5TB100S-55SN	5TB100R-55RN	5TB100S-55CE	5TB100S-55HE
Product	 UL US CQC	 UL US CQC	 UL US CQC	 UL US CQC	 UL US CQC
Pitch	10.0mm	10.0mm	10.0mm	10.0mm	10.0mm
Rated	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
Poles	2P-24P	2P-24P	2P-24P	2P-22P	2P-22P
Wire	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²

Part No.	5TB100S-55SE	5TB100R-55RE	5TB110S-65CN	5TB110S-65SN	5TB110S-65HN
Product	 UL US CQC	 UL US CQC	 UL US CQC	 UL US CQC	 UL US CQC
Pitch	10.0mm	10.0mm	11.0mm	11.0mm	11.0mm
Rated	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
Poles	2P-22P	2P-22P	2P-24P	2P-24P	2P-24P
Wire	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²

Part No.	5TB110R-65RN	5TB110S-65CE	5TB110S-65SE	5TB110S-65HE	5TB110R-65RE
Product	 UL US CQC	 UL US CQC	 UL US CQC	 UL US CQC	 UL US CQC
Pitch	11.0mm	11.0mm	11.0mm	11.0mm	11.0mm
Rated	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
Poles	2P-24P	2P-22P	2P-22P	2P-22P	2P-22P
Wire	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²








RoHS






AMTEK CONNECTORS MANUFACTURER






B arrier Terminal Block








AMTEK COMMERCIAL PRODUCTS MANUFACTURER

Part No.	5TB762S-28CN	5TB762S-28SN	5TB762S-28HN	5TB762R-28RN	5TB762S-28CE
Product	 cUL ^{us} CQC	 cUL ^{us} CQC	 cUL ^{us}	 cUL ^{us} CQC	 cUL ^{us} CQC
Pitch	7.62mm	7.62mm	7.62mm	7.62mm	7.62mm
Rated	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
Poles	2P-22P	2P-22P	2P-22P	2P-22P	2P-20P
Wire	22-14AWG 2.5mm ²	22-14AWG 4.0mm ²	22-14AWG 2.5mm ²	22-14AWG 2.5mm ²	22-14AWG 2.5mm ²

Part No.	5TB762S-28SE	5TB762S-28HE	5TB762R-28RE	5TB825S-38CN	5TB825S-38SN
Product	 cUL ^{us} CQC	 cUL ^{us} CQC	 cUL ^{us} CQC	 cUL ^{us}	 cUL ^{us}
Pitch	7.62mm	7.62mm	7.62mm	8.25mm	8.25mm
Rated	300V/15A	300V/15A	300V/15A	300V/20A	300V/20A
Poles	2P-20P	2P-20P	2P-20P	2P-22P	2P-22P
Wire	22-14AWG 2.5mm ²	22-14AWG 2.5mm ²	22-14AWG 2.5mm ²	22-12AWG 2.5mm ²	22-12AWG 2.5mm ²






Part No.	5TB825S-38HN	5TB825R-38RN	5TB825S-38CE	5TB825S-38SE	5TB825S-38HE
Product	 cUL ^{us}	 cUL ^{us}	 cUL ^{us}	 cUL ^{us}	 cUL ^{us}
Pitch	8.25mm	8.25mm	8.25mm	8.25mm	8.25mm
Rated	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
Poles	2P-22P	2P-22P	2P-20P	2P-20P	2P-20P
Wire	22-12AWG 2.5mm ²	22-12AWG 2.5mm ²	22-12AWG 2.5mm ²	22-12AWG 2.5mm ²	22-12AWG 2.5mm ²






Part No.	5TB825R-38RE	5TB950S-48CN	5TB950S-48SN	5TB950S-48HN	5TB950R-48RN
Product	 cUL ^{us}	 cUL ^{us}	 cUL ^{us}	 cUL ^{us}	 cUL ^{us}
Pitch	8.25mm	9.5mm	9.5mm	9.5mm	9.5mm
Rated	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
Poles	2P-20P	2P-22P	2P-22P	2P-22P	2P-22P
Wire	22-12AWG 2.5mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²






CONNECTORS MANUFACTURER








B arrier Terminal Block

Part No.	5TB950S-48CE	5TB950S-48SE	5TB950S-48HE	5TB950R-48RE	5TB100S-58CN
Product	 cUL [®] US	 cUL [®] US	 cUL [®] US	 cUL [®] US	 cUL [®] US
Pitch	9.5mm	9.5mm	9.5mm	9.5mm	10.0mm
Rated	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
Poles	2P-20P	2P-20P	2P-20P	2P-20P	2P-20P
Wire	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²

Part No.	5TB100S-58SN	5TB100S-58HN	5TB100R-58RN	5TB100S-58CE	5TB100S-58SE
Product	 cUL [®] US	 cUL [®] US	 cUL [®] US	 cUL [®] US	 cUL [®] US
Pitch	10.0mm	10.0mm	10.0mm	10.0mm	10.0mm
Rated	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
Poles	2P-20P	2P-20P	2P-20P	2P-20P	2P-20P
Wire	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²

Part No.	5TB100S-58ME	5TB100R-58RE	5TB110S-68SN	5TB110S-68HN	5TB110R-68RN
Product	 cUL [®] US	 cUL [®] US			
Pitch	10.0mm	10.0mm	11.0mm	11.0mm	11.0mm
Rated	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
Poles	2P-20P	2P-20P	2P-22P	2P-22P	2P-22P
Wire	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²

Part No.	5TB110S-68SE	5TB110S-68ME	5TB110R-68ME	5TB130S-78CN	5TB130S-78SN
Product				 cUL [®] US CQC	 cUL [®] US CQC
Pitch	11.0mm	11.0mm	11.0mm	13.0mm	13.0mm
Rated	300V/20A	300V/20A	300V/20A	600V/40A	600V/40A
Poles	2P-20P	2P-20P	2P-20P	2P-20P	2P-20P
Wire	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	18-10AWG 6.0mm ²	18-10AWG 6.0mm ²








RoHS






CONNECTORS MANUFACTURER






B arrier Terminal Block








AMTEK COMMERCIAL MACHINERY

Part No.	5TB130S-78HN	5TB130R-78RN	5TB130S-78CE	5TB130S-78SE	5TB130S-78HE
Product	 cUL [®] US CQC	 cUL [®] US CQC	 cUL [®] US CQC	 cUL [®] US CQC	 cUL [®] US CQC
Pitch	13.0mm	13.0mm	13.0mm	13.0mm	13.0mm
Rated	600V/40A	600V/40A	600V/40A	600V/40A	600V/40A
Poles	2P-20P	2P-20P	2P-18P	2P-18P	2P-18P
Wire	18-10AWG 6.0mm ²	18-10AWG 6.0mm ²	18-10AWG 6.0mm ²	18-10AWG 6.0mm ²	18-10AWG 6.0mm ²

Part No.	5TB130R-78RE	5TB762S-J06N	5TB635R-16AN	5TB635S-16SN	5TB635R-16RN
Product	 cUL [®] US CQC		 cUL [®] US CQC	 cUL [®] US CQC	 cUL [®] US CQC
Pitch	13.0mm	7.62mm	6.35mm	6.35mm	6.35mm
Rated	600V/40A	300V/15A	300V/10A	300V/10A	300V/10A
Poles	2P-18P	2P-22P	2P-30P	2P-30P	2P-30P
Wire	18-10AWG 6.0mm ²	22-14AWG 2.5mm ²	22-16AWG 1.5mm ²	22-16AWG 1.5mm ²	22-16AWG 1.5mm ²






Part No.	5TB850S-J26N	5TB825S-36SN	5TB825S-3SGN	5TB825R-36AN	5TB825S-36GN
Product		 cUL [®] US CQC		 cUL [®] US CQC	 cUL [®] US CQC
Pitch	8.5mm	8.25mm	8.25mm	8.25mm	8.25mm
Rated	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
Poles	2P-26P	2P-26P	2P-26P	2P-26P	2P-26P
Wire	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²






Part No.	5TB950S-46SN	5TB950S-4SGN	5TB950R-46AN	5TB950S-46GN	5TB950R-46GN
Product	 cUL [®] US CQC		 cUL [®] US CQC	 cUL [®] US CQC	 cUL [®] US CQC
Pitch	9.5mm	9.5mm	9.5mm	9.5mm	9.5mm
Rated	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
Poles	2P-20P	2P-26P	2P-20P	2P-12P	2P-12P
Wire	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²






CONNECTORS MANUFACTURER








B arrier Terminal Block

Part No.	5TB950S-46XN	5TB950S-6GGN	5TB111S-66SN	5TB111S-66AN	5TB950S-45XN
Product	 UL US CQC		 UL US CQC	 UL US CQC	
Pitch	9.5mm	9.5mm	11.1mm	11.1mm	9.5mm
Rated	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
Poles	2P-9P	2P-9P	2P-23P	2P-23P	2P-22P
Wire	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 2.5mm ²

Part No.	5TB950R-48WN	5TB100R-58WN	5TB950N-J49E	5TB110N-69ME	5TB140N-89ME
Product	 UL US		 UL US	 UL US	 UL US
Pitch	9.5mm	10.0mm	9.5mm	11.0mm	14.0mm
Rated	300V/20A	300V/20A	300V/20A	300V/25A	600V/30A
Poles	2P-22P	2P-26P	2P-26P	2P-26P	2P-24P
Wire	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-10AWG 6.0mm ²

Part No.	5TB762S-620N	5TB110R-EM1E	5TB110R-EMAE	5TB110R-EM2N	5TB110R-EMAN
Product	 CQC	 CQC	 CQC	 CQC	 CQC
Pitch	7.62mm	11.0mm	11.0mm	11.0mm	11.0mm
Rated	300V/15A	300V/20A	300V/20A	300V/20A	300V/20A
Poles	2P-20P	3P	3P	3P	3P
Wire	22-14AWG 1.5mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²	22-12AWG 4.0mm ²

Part No.	5TB115R-EM3E	5TB88R-EM4N	5TB125R-EM5N	5TB125R-EMHE	5TB125R-EMHN
Product	 CQC	 CQC	 CQC	 CQC	 CQC
Pitch	11.5mm	8.8mm	12.5mm	12.5mm	12.5mm
Rated	300V/30A	300V/15A	300V/30A	300V/30A	300V/30A
Poles	3P	4P	3P	3P	3P
Wire	22-12AWG 6.0mm ²	22-14AWG 2.5mm ²	22-10AWG 4.0mm ²	22-10AWG 4.0mm ²	22-10AWG 4.0mm ²

















RoHS

A
C
O
M
M
E
R
C
I
A
L
M
A
N
U
F
A
C
T
U
R
E

B arrier Terminal Block



Part No.	5TB110R-EMHE	5TB110R-EMHN	5TB110R-21AE	63AMT-170074	63AMT-170076
Product	 	 			
Pitch	11.0mm	11.0mm	11.0mm		
Rated	300V/20A	300V/20A	300V/30A		
Poles	4P	4P	2×(2P-4P)		
Wire	22-12AWG 2.5mm ²	22-12AWG 2.5mm ²	22-10AWG 4.0mm ²		
Part No.	63AMT-170075				
Product					
Pitch					
Rated					
Poles					
Wire					